

PUBLICATIONS AND MAPS OF THE GEOLOGY DEPARTMENT

Early volumes of *Brigham Young University Geology Studies*, as well as its predecessor, *Brigham Young University Research Studies, Geology Series*, are out of print but are available on microfilm. A schedule of costs will be sent upon request.

Publications can be obtained from:

Brigham Young University
Department of Geology
258 ESC
Provo, Utah 84602

VOLUME 13, 1966

- Rigby, J. K., and McIntire, W. G., The Isla de Lobos and associated reefs, Veracruz, Mexico, p. 3-46, 8 pls., 9 text-figs.
Chamberlain, C. K., Some Octocorallia of Isla de Lobos, Veracruz, Mexico, p. 47-54, 2 pls., 1 text-fig.
Jensen, J. A., Dinosaur eggs from the Upper Cretaceous North Horn Formation of central Utah, p. 55-67, 4 pls., 2 text-figs.
Steininger, R., Geology of the Kingsley mining district, Elko County, Nevada, p. 69-88, 4 pls., 5 text-figs.
Rutledge, J. R., A study of fluid migration in porous media by stereoscopic radiographic techniques, p. 89-104, 8 pls., 1 text-fig.
Griffin, L. R., *Actinocoelia maeandrina* Finks, from the Kaibab Limestone of northern Arizona, p. 105-108, 1 pl., 2 text-figs.
Best, M. G., Hamblin, W. K., and Brimhall, W. H., Preliminary petrology and chemistry of Late Cenozoic basalts in the western Grand Canyon region, p. 109-123, 3 pls., 4 text-figs.

VOLUME 14, 1967

- Tidwell, W., Flora of Manning Canyon Shale, part I: A lowermost Pennsylvanian flora from the Manning Canyon Shale, Utah, and its stratigraphic significance, p. 3-66, 10 pls., 5 text-figs.
Jensen, R. G., Ordovician brachiopods from the Pogonip Group of Millard County, western Utah, p. 67-100, 6 pls., 5 text-figs.
Mayou, T. V., Paleontology of the Permian Loray Formation in White Pine County, Nevada, p. 102-22, 4 pls., 4 text-figs.
Sanderson, I. D., Lithology and petrography of the Virgin Limestone (Lower Triassic) at Blue Diamond Hill and vicinity, Clark County, Nevada, p. 123-30, 2 pls., 2 text-figs.
Nadjmabadi, Siavash, Paleo-environment of the Guilmette Limestone (Devonian) near Wendover, Utah, p. 131-42, 5 pls., 1 text-fig.
Schneider, M. C., Early Tertiary continental sediments of central and south central Utah, p. 143-94, 2 pls., 6 text-figs.
Bain, R. J., Paleocology of some Leonardian patch reefs in the Glass Mountains, Texas, p. 195-236, 15 pls., 3 text-figs.
Tidwell, W. D., Rushforth, S. R., and Reveal, J. L., *Astralopteris*, a new Cretaceous fern genus from Utah and Colorado, p. 237-40, 6 pls., 1 text-fig.
Rigby, J. K., Sponges from the Silurian Laketown Dolomite, Confusion Range, western Utah, p. 241-44, 2 text-figs.
Hamblin, W. K., Exposure charts for radiography of common rock types, p. 245-58; 1 pl., 8 text-figs.

VOLUME 15, 1968

Part 1

- Blakely, R. F., and Potter, P. E., A program for generation of synthetic stratigraphic sections, p. 3-12, 3 text-figs.
Smith, A. R., Techniques for obtaining fabric data from coarse clastic sediments, p. 13-30, 4 pls., 3 text-figs.
Rigo, R. J., Middle and Upper Cambrian stratigraphy in the autochthon and allochthon of northern Utah, p. 31-66, 2 pls., 6 text-figs.
Watson, R. A., Structural development of the Toquerville-Pintura segment of the Hurricane Cliffs, Utah, p. 67-76, 5 text-figs.
Moussa, M. T., Gravitational gliding in the Flagstaff Formation near Soldier Summit, Utah, p. 77-84, 2 text-figs.
Kattelman, D. F., Geology of the Desert Mountain intrusives, Juab County, Utah, p. 85-108, 2 pls., 1 text-fig.

- Rushforth, S. R., and Tidwell, W. D., Note on the distribution and morphology of the fern genus *Astralopteris*, p. 109-14, 3 pls., 2 text-figs.
Washburn, A. T., Early Pennsylvanian crinoids from the south central Wasatch Mountains of central Utah, p. 115-31, 3 pls., 1 text-fig.

Part 2

- Rigby, J. K., and Hintze, L. F., Studies for students no. 1; Guide to the geology of the Wasatch Mountain front, between Provo Canyon and Y Mountain, northeast of Provo, Utah, 29 p., 22 text-figs.

Part 3

- Rigby, J. K., Studies for students no. 2. Guide to the geology and scenery of Spanish Fork Canyon along U.S. highways 50 and 6 through the southern Wasatch Mountains, Utah, 31 p., 25 text-figs.

Part 4

- Bissell, H. J., Studies for students no. 3; Bonneville—an ice-age lake, 65 p., 49 text-figs.

Part 5

- Hamblin, W. K., and Rigby, J. K., Studies for students no. 4; Guidebook to the Colorado River, part 1: Lee's Ferry to Phantom Ranch in Grand Canyon National Park, 84 p., 60 text-figs (revised and reprinted 1970)

VOLUME 16, 1969

Part 1

- Baer, J. L., Paleocology of cyclic sediments of the Lower Green River Formation, central Utah, p. 3-95, 7 pls., 23 text-figs.
Marshall, F. C., Lower and Middle Pennsylvanian fusulinids from the Bird Springs Formation near Mountain Springs Pass, Clark County, Nevada, p. 97-154, 4 pls., 4 text-figs.

Part 2

- Hamblin, W. K., Rigby, J. K., Studies for students no. 5; guidebook to the Colorado River, part 2: Phantom Ranch in Grand Canyon National Park to Lake Mead, Arizona-Nevada, 126 p., 98 text-figs. (revised and reprinted 1970)

Part 3

- Rushforth, S. R., Notes on the fern family Matoniaceae from the western United States, p. 3-34, 14 pls.
Bodily, N. M., An armored dinosaur from the Lower Cretaceous of Utah, p. 35-60, 5 pls., 4 text-figs.
Lohrengel, C. F. II, Palynology of the Kaiparowits Formation, Garfield County, Utah, p. 61-180, 12 pls., 7 text-figs.

VOLUME 17, 1970

Part 1

- Lane, N. G., Lower and Middle Ordovician crinoids from west central Utah, p. 3-17, 1 pl., 2 text-figs.
Hinds, R. W., Ordovician bryozoa from the Pogonip Group of Millard County, western Utah, p. 19-40, 7 pls., 3 text-figs.
Stokes, W. L., Scanty fossil evidence emphasizes correlation problems in northeastern Utah and south central Idaho, p. 41-49, 2 text-figs.
Jensen, J. A., Fossil eggs in the Lower Cretaceous of Utah, p. 51-65, 3 pls., 5 text-figs.
Embrage, G. F., Lateral and ventral variations in a Quarternary basalt flow; petrography and chemistry of the Gunlock Flow, southwestern Utah, p. 67-115, 11 pls., 14 text-figs.

Part 2

- Palmer, D. E., Geology of Stansbury Island, Tooele County, Utah, p. 3-30, 1 pl., 4 text-figs.
Hoggan, R. D., Paleontology and paleocology of the Curtis Formation in the Uinta Mountains area, Daggett County, Utah, p. 31-65, 7 pls., 4 text-figs.

- Desai, J. I., Petrography of the Kaibab and Plympton formations (Permian) near Ferguson Mountain, Elko County, Nevada, p. 67-81, 4 pls., 1 text-fig.
- Zabriskie, W. E., Petrology and petrography of Permian carbonate rocks, Arc-turus Basin, Nevada and Utah, p. 83-160, 10 pls., 18 text-figs.

VOLUME 18, 1971

Part 1

- Nielsen, G. L., Hydrogeology of the irrigation study basin, Oldman River drainage, Alberta, Canada, p. 3-98, 38 text-figs.
- Hrabra, S. V., Cressman, E. R., and Potter, P. E., Cross-bedding of the Tanglewood Limestone Member of the Lexington Limestone (Ordovician) of the Blue Grass region of Kentucky, p. 99-114, 11 text-figs.
- Pape, I. W., Geology and mineralogy of the Trump Fissure-Fault ore body, Tinxie Mine, east Tintic district, Utah, p. 115-45, 10 pls., 4 text-figs.
- Belnap, D. W., Petrology and geochemistry of shoal water carbonates of the Virgin Limestone Member, Triassic Moenkopi Formation, Clark County, Nevada, p. 147-84, 4 pls., 13 text-figs.

Part 2

- Rigby, J. K., and Hamblin, W. K., Studies for students no. 6; guidebook to the Colorado River, part 3: Moab to Hite, Utah, through Canyonlands National Park, 91 p., 84 text-figs.

Part 3

- Chesser, W. L., The nature and development of the Esplanade in the Grand Canyon, Arizona, p. 3-48, 31 pls., 13 text-figs.
- Mahfoud, R. E., Paragenesis and mineralogy of the Burgin Mine, East Tintic District, Utah County, Utah, p. 49-104, 12 pls., 9 text-figs.
- Smith, S. M., Mineralogy and trace element study of the manganese oxide deposits in the Burgin Mine, East Tintic Mining District, Utah County, Utah, p. 105-22, 6 text-figs.
- Brimhall, W. H., and Embree, G. F., Rapid analysis of basalts by atomic absorption spectrophotometry, p. 123-30.
- Orgill, J. R., The Permian-Triassic unconformity and its relationship to the Moenkopi, Kaibab, and White Rim formations in and near the San Rafael Swell, Utah, p. 131-79, 5 pls., 7 text-figs.

VOLUME 19, 1972

Part 1

- Robison, R. A., and Hintze, L. F., An Early Cambrian trilobite faunule from Utah, p. 3-13, 3 pls.
- Paul, C. R. C., *Cheiracystella antiqua* gen et sp. nov. from the Lower Ordovician of western Utah, and its bearing on the evolution of the Cheirocrinidae (Rhombifera: Glyptocystitida), p. 15-63, 7 pls., 21 text-figs.
- Merrill, R. C., Geology of the Mill Fork area, Utah, p. 65-88, 1 pl., 4 text-figs.
- Pinnell, M. L., Geology of the Thistle Quadrangle, Utah, p. 89-130, 5 pls., 5 text-figs.
- Jones, A. M., A study of internal structures of fine-grained clastic rocks by X-radiography, p. 131-58, 3 pls., 13 text-figs.

Part 2

- Terrell, F. M., Lateral facies and paleoecology of Permian Elephant Canyon Formation, Grand County, Utah, p. 3-44, 8 pls., 11 text-figs.
- Melton, R. A., Paleocology and paleoenvironment of the Upper Honaker Trail Formation near Moab, Utah, p. 45-88, 8 pls., 10 text-figs.
- Lawyer, G. F., Sedimentary features and paleoenvironments of the Dakota Sandstone (Early Upper Cretaceous) near Hanksville, Utah, p. 89-120, 8 pls., 9 text-figs.
- Brimhall, W. H., Recent history of Utah Lake as reflected in its sediments: a first report, p. 121-26, 1 text-fig.
- Rigby, J. K., and Swensen, A. J., Pennsylvanian sponges from the Oquirrh Group of Central Utah, p. 127-32, 2 pls.
- Hogg, N. C., Shoshonitic lavas in west central Utah, p. 133-84, 5 pls., 11 text-figs.

VOLUME 20, 1973

Part 1

- Hansen, A. A., About George H. Hansen, p. 5-9

- Stokes, W. L., Geologic and climatic inferences from surficial deposits of the Colorado Plateau and Great Basin, p. 11-26.
- Bullock, K. C., Geology and iron deposits of Iron Springs District, Iron County, Utah, p. 27-63.
- Bissell, H. J., Oil and gas possibilities in southern Nevada, p. 65-77.
- Chamberlain, C. K., and Baer, J., Ophiomorpha and a new thalassinid burrow from the Permian of Utah, p. 79-94.
- Nielsen, G., Groundwater investigation, Peace-Athabasca Delta, p. 95-113.
- Steininger, R., Hydrothermal alteration in some quartz monzonite dikes at the Climax molybdenum deposits, Colorado, p. 115-28.

Part 2

- Hintze, L. F., Studies for students no. 7; Geologic road logs of western Utah and eastern Nevada, 66 p., 34 text-figs.

Part 3

- Hintze, L. F., Studies for students no. 8; Geologic history of Utah, 181 p., 83 text-figs., 46 charts.

Part 4

- Hintze, L. F., Lower and Middle Ordovician stratigraphic sections in the Ibex area, Millard County, Utah, p. 3-36, 2 tables, 6 text-figs.
- Demeter, E. J., Lower Ordovician pliomid trilobites from western Utah, p. 37-65, 6 pls., 5 text-figs.
- Terrell, F. M., Silicified trilobite zonation in the Lower Fillmore Formation in western Utah, p. 67-90, 2 tables, 6 pls., 2 text-figs.
- Young, G. E., An Ordovician (Arenigian) trilobite faunule of great diversity from the Ibex area, western Utah, p. 91-115, 2 tables, 7 pls., 3 text-figs.
- Crosby, G. W., The mechanical significance of deformation within overthrust plates, p. 117-36, 1 table, 1 pl., 7 text-figs.
- Galton, P. M., and Jensen, J. A., Skeleton of hypsilophodontid dinosaur *Nanosaurus (?) rex* from the Upper Jurassic of Utah, p. 137-57, 2 tables, 3 pls., 6 text-figs.
- Bushman, A. V., Pre-Needles Range silicic volcanism, Tunnel Spring Tuff (Oligocene), west central Utah, p. 159-90, 1 pl., 11 text-figs.
- Lewis, P. H., Mica pyroclastic inclusions in Limburgite, Hopi Buttes Volcanic Field, Arizona, p. 191-225, 13 tables, 5 pls., 7 text-figs.

VOLUME 21, 1974

Part 1

- Hoover, J. D., Periodic Quaternary vulcanism in the Black Rock Desert, Utah, p. 3-72, 6 tables, 5 pls., 21 text-figs.
- Leedom, S. H., Little Drum Mountains, an early Tertiary shoshonitic volcanic center in Millard County, Utah, p. 73-108, 4 pls., 12 text-figs.
- Pierce, C. R., Geology of the southern part of the Little Drum Mountains, Utah, p. 109-29, 6 tables, 3 pls., 2 text-figs.
- Anderson, S. R., Stratigraphy and structure of the Sunset Peak area near Brighton, Utah, p. 131-50, 3 pls., 3 text-figs.
- Cranor, J. I., Petrology and geochemistry of the calc-silicate zone adjacent to the Alta and Clayton Peak stocks near Brighton, Utah, p. 151-76, 2 tables, 2 pls., 8 text-figs.
- Palmer, J. O., Petrology of the Clayton Peak stock, a zoned pluton near Brighton, Utah, p. 177-214, 5 tables, 3 pls., 15 text-figs.
- Sanderson, I. D., Sedimentary structures and their environmental significance in the Navajo Sandstone, San Rafael Swell, Utah, p. 215-46, 1 table, 6 pls., 8 text-figs.
- Cleavinger, H. B. II, Paleoenvironments of deposition of the Upper Cretaceous Ferron Sandstone near Emery, Emery County, Utah, p. 247-74, 4 pls., 5 text-figs.

Part 2

- Rigby, J. K., Hintze, L. F., and Welsh, S. L., Studies for students no. 9; Geologic guide to the northwestern Colorado Plateau, 117 p., 91 text-figs.

Part 3

- Derr, M. E., Sedimentary structure and depositional environment of paleochannels in the Jurassic Morrison Formation near Green River, Utah, p. 3-39, 1 table, 6 pls., 8 text-figs.

- Church, S. B., Lower Ordovician patch reefs in western Utah, p. 41-62, 3 pls., 8 text-figs.
- Newman, D. H., Paleoenvironment of the Lower Triassic Thaynes Formation near Cascade Springs, Wasatch County, Utah, p. 63-96, 4 pls., 7 text-figs.
- Sonerholm, P. A., Normative mineral distribution in Utah Lake sediments: a statistical analysis, p. 97-117, 6 tables, 9 text-figs.
- Tidwell, W. D., Medlyn, D. A., and Simper, A. D., Flora of the Manning Canyon Shale, part II: Lepidodendrales, p. 119-46, 1 table, 5 pls., 1 text-fig.

VOLUME 22, 1975

Part 1

- Klopp, H. C., Petrographic analysis of the Sunniland Formation, an oil producing formation in south Florida, p. 3-27, 4 pls., 6 text-figs.
- Nambudiri, E. M. V., and Tidwell, W. D., *Elaeocarpus chitaley* sp. nov., from the Deccan Intertrappen beds of India, p. 29-57, 1 table, 2 pls., 1 text-fig.
- Armstrong, R. M., Environmental geology of the Provo-Orem area, p. 59-67, 1 table, 9 pls., 2 text-figs.
- Oliveira, M. E., Geology of the Fish Springs mining district, Fish Springs Range, Utah, p. 69-104, 1 table, 1 pl., 10 text-figs.
- Bingham, C. C., Recent sedimentation trends in Utah Lake, p. 105-40, 2 tables, 12 text-figs.
- Hoggan, R. D., Paleogeology of the Guilmette Formation in eastern Nevada and western Utah, p. 141-97, 7 pls., 8 text-figs.

Part 2

- Cross, A. T., and Maxfield, E. B., Field guide and road log to the Western Book Cliffs, Castle Valley, and parts of the Wasatch Plateau, p. 3-132, 44 figs.

Part 3

Aspects of coal geology, northwest Colorado Plateau
some geologic aspects of coal accumulation, alteration, and mining
in western North America: A symposium

- Young, R. G., Genesis of Western Book Cliffs coal, p. 3-14, 2 figs., 1 table.
- Cotter, E., The role of deltas in the evolution of the Ferron Sandstone and its coals, Castle Valley, Utah, p. 15-41, 12 text-figs., 4 tables.
- Doelling, H. D., Emery coal fields, Utah, p. 43-44, 1 text-fig.
- Johnson, V. H., Metamorphic patterns in western Cretaceous coals and their geoenvironmental implications, p. 45-58, 6 pls., 1 text-fig.
- Spackman, W., Davis, A., and Mitchell, G. D., The fluorescence of liptinite macerals, p. 59-75, 4 pls. (color), 2 tables, 2 text-figs.
- Tidwell, W. D., Thayne, G. F., Roth, J. L., Cretaceous and Early Tertiary floras of the intermountain area—a summary, p. 77-98, 3 pls., 3 text-figs.
- Parker, L. R., The paleogeology of the fluvial coal-forming swamps and associated floodplain environments in the Blackhawk Formation (Upper Cretaceous) of central Utah, p. 99-116, 4 pls., 1 text-fig.
- Cobban, W. A., Ammonite record from the Mancos Shale of the Castle Valley-Price-Woodside area, east central Utah, p. 117-26, 2 pls., 1 text-fig.
- Cross, A. T., Some algal deposits and their significance in the northwest Colorado Plateau, p. 127-42, 3 text-figs.
- Covington, R. E., Oil-impregnated rocks of Utah: Distribution, geology, and reserves, p. 143-50, 3 text-figs.
- Marchant, L. C., Oil-impregnated rocks of Utah: USERDA field experiment to recover oil from tar sand, p. 151-55, 3 text-figs.
- Cross, A. T., and Wood, G. D., Palynology and petrography of some solid bitumens of the Uinta Basin, p. 157-73, 9 text-figs.

VOLUME 23, 1976

Part 1

- Peterson, A. R., Paleoenvironments of the Colton Formation, Colton, Utah, p. 3-35, 4 pls., 7 text-figs.
- Stanton, R. G., The paleoenvironments of the Summerville Formation on the west side of the San Rafael Swell, Emery County, Utah, p. 37-73, 4 pls., 5 text-figs.
- Newell, N. D., Rigby, J. K., Driggs, A. F., Boyd, D. W., and Stehli, F. G., Permian reef complex, Tunisia, p. 75-112, 2 pls., 8 text-figs.
- Smith, L. S., Paleoenvironments of the Upper Entrada Sandstone and the Curtis Formation on the west flank of the San Rafael Swell, Emery County, Utah, p. 113-71, 6 pls., 4 text-figs.

- Lowrey, R. O., Paleoenvironment of the Carmel Formation at Sheep Creek Gap, Daggett County, Utah, p. 173-203, 5 pls., 4 text-figs.
- Young, G. E., Geology of Billies Mountain Quadrangle, Utah County, Utah, p. 205-80, 4 pls., 11 text-figs.

Part 2

Paleontology and depositional environments: Cambrian of western North America

- Taylor, M. E., and Robison, R. A., Trilobites in Utah folklore, p. 1-6, 2 text-figs.
- Fritz, W. H., Lower Cambrian stratigraphy, Mackenzie Mountain, northwestern Canada, p. 7-22, 2 pls., 1 table, 2 text-figs.
- Moore, J. N., Depositional environments of the Lower Cambrian Poleta Formation and its stratigraphic equivalents, California and Nevada, p. 23-38, 7 text-figs.
- Palmer, A. R., and Campbell, D. P., Biostratigraphic implications of trilobite biofossils: *Albertella* zone, Middle Cambrian, western United States, p. 39-50, 8 text-figs.
- Rigby, J. K., Some observations on occurrences of Cambrian porifera in western North America and their evolution, p. 51-60, 6 text-figs.
- Sprinkle, J., Biostratigraphy and paleoecology of Cambrian echinoderms from the Rocky Mountains, p. 61-73, 1 pl., 1 table, 3 text-figs.
- Kepper, J. C., Stratigraphic relationships and depositional facies in a portion of the Middle Cambrian of the Basin and Range Province, p. 75-91, 2 pls., 1 table, 5 text-figs.
- Robison, R. A., Middle Cambrian trilobite biostratigraphy of the Great Basin, p. 93-109, 5 text-figs.
- Lohmann, K. C., Lower Dresbachian (Upper Cambrian) platform to deep-shelf transition in eastern Nevada and western Utah: an evaluation through lithologic cycle correlation, p. 111-12, 8 text-figs.
- Koepnick, R. B., Depositional history of the Upper Dresbachian-Lower Franciscan (Upper Cambrian) pteropodid bioterm from west central Utah, p. 123-38, 10 text-figs.
- McBride, D. J., Outer shelf communities and trophic groups in the Upper Cambrian of the Great Basin, p. 139-52, 3 tables, 5 text-figs.
- Brady, M. J., and Rowell, A. J., Upper Cambrian subtidal blanket carbonate of the miogeocline, eastern Great Basin, p. 153-63, 5 text-figs.
- Rowell, A. J., and Brady, M. J., Brachiopods and biotermes, p. 165-80, 2 text-figs.
- Taylor, M. E., and Cook, H. E., Continental and slope facies in the Upper Cambrian and Lower Ordovician of Nevada, p. 181-214, 32 text-figs.
- Kurtz, V. E., Biostratigraphy of the Cambrian and Lower Ordovician, Bighorn Mountains and associated uplifts in Wyoming and Montana, p. 215-27, 4 text-figs.

Part 3

- Rigby, J. K., and Chidsey, T. C., Jr., A well-preserved *Calymene* Typicalis Bassler (porifera) from the Ordovician Fort Peña Formation of western Texas, p. 3-8, 3 text-figs.
- Lambert, D. J., A detailed stratigraphic study of initial deposition of Tertiary lacustrine sediments near Mills, Utah, p. 9-36, 5 pls., 7 text-figs.
- Berdan, J. M., Middle Ordovician leperditicoid ostracodes from the Ibez area, Millard County, western Utah, p. 37-66, 9 pls., 3 text-figs.
- Maxfield, E. B., Foraminifera from the Mancos Shale of east central Utah, p. 67-162, 21 pls., 8 text-figs.

VOLUME 24, 1977

Part 1

- Moulton, F. C., Lower Mesozoic and Upper Paleozoic petroleum potential of the hingeline area, central Utah, p. 1-10, 19 figs.
- Astin, G. K., Structure and stratigraphy of the Co-op Creek Quadrangle, Wasatch County, Utah, p. 13-35, 16 figs.
- Driggs, A. F., The petrology of three Upper Permian bioherms, southern Tunisia, p. 37-53, 14 figs., 1 table.
- Nielsen, R. L., The geomorphic evolution of the Crater Hill volcanic field of Zion National Park, p. 55-70, 32 figs.
- Taylor, L., Biogeochemical exploration for Cu, Pb, and Zn mineral deposits, using juniper and sage, Dugway Range, Utah, p. 71-85, 13 figs., 3 tables.
- Clark, E. E., Late Cenozoic volcanic and tectonic activity along the eastern margin of the Great Basin, in the proximity of Cove Fort, Utah, p. 87-114, 31 figs., 2 tables.
- Lindsay, R. F., Petrology and petrography of the Great Blue Formation at Wellsville Mountain, Utah, p. 115-136, 37 figs.

Part 2

- Sedimentation Seminar, Studies for students: A question set for sands and sandstones, p. 1-8, 4 figs., 2 tables.
- Strimple, H. L., and Miller, J. F., A new species of *Arroyocrinus* (Inadunata) from the Park City Formation (Upper Permian) of Utah, p. 9-10, 2 figs.
- Shepherd, J. D., Galton, P. M., Jensen, J. A., Additional specimens of the hypsilophodontid dinosaur *Dryosaurus altus* from the Upper Jurassic of western North America, p. 11-15, 5 figs.
- Davis, J. D., Paleoenvironments of the Moenave Formation, St. George, Utah, p. 17-31, 23 figs., 1 table.
- Bagshaw, R. L., Foraminiferal abundance related to bentonitic ash beds in the Tununk Member of the Mancos Shale (Cretaceous) in southeastern Utah, p. 33-49, 13 figs., 5 tables.
- Bagshaw, R. L., Paleocology of the lower Carmel Formation of the San Rafael Swell, Emery County, Utah, p. 51-62, 9 figs.
- Runyon, D. M., Structure, stratigraphy, and tectonic history of the Indianola Quadrangle, central Utah, p. 63-82, 19 figs.
- Anderson, T. C., Compound faceted spurs and recurrent movement in the Wasatch fault zone, north central Utah, p. 83-101, 17 figs.
- Bohn, R. T., A subsurface correlation of Permian-Triassic strata in Lisbon Valley, Utah, p. 103-116, 13 figs., 2 tables.
- Ahlborn, R. C., Mesozoic-Cenozoic structural development of the Kern Mountains, eastern Nevada-western Utah, p. 117-30, 12 figs., 1 table.

VOLUME 25, 1978

Part 1

Papers reviewing geology of field trip areas, 31st annual meeting, Rocky Mountain Section, Geological Society of America, April 28-29, 1978, at Brigham Young University, Provo, Utah.

- Anderson, R. E., Quaternary tectonics along the intermountain seismic belt, south of Provo, Utah, p. 1-10, 7 figs.
- Hintze, L. F., Sevier orogenic attenuation faulting in the Fish Springs and House ranges, western Utah, p. 11-24, 12 figs.
- Lindsey, D. A., Geology of volcanic rocks and mineral deposits in the southern Thomas Range, Utah: A brief summary, p. 25-31, 2 figs.
- Morris, H. T., and Mogensen, A. P., Tinnic mining district, Utah, p. 33-45, 2 tables.
- Rigby, J. K., Mesozoic and Cenozoic sedimentary environments of the northern Colorado Plateau, p. 47-65, 32 figs.
- Steven, T. A., Rowley, P. D., and Cunningham, C. G., Geology of the Marysvale volcanic field, west central Utah, p. 67-70, 1 fig.
- Ward, S. H., Bowman, J. R., Cook, K. L., Parry, W. T., Nash, W. P., Smith, R. B., Sill, W. R., and Whelan, J. A., Geology, geochemistry, and geophysics of the Roosevelt Hot Springs thermal area: A summary, p. 71.

Part 2

Geology, paleontology, and paleocology of a Late Triassic lake, western New Mexico (in three parts)

Part I. Geology

- Chapter 1. Stratigraphy of the Ciniza Lake Beds and related strata—S. R. Ash
- Chapter 2. Mineralogy and geochemistry of the lake beds and associated strata—W. E. Dean

Part II. Paleontology

- Chapter 3. Summary of fossils in the Ciniza Lake Beds—S. R. Ash
- Chapter 4. Plant megafossils—S. R. Ash
- Chapter 5. Pollen and spores—J. F. Stone
- Chapter 6. Clam shrimps—P. Tash
- Chapter 7. Coelacanth scales—S. R. Ash
- Chapter 8. Coprolites—S. R. Ash
- Chapter 9. Lipid components of the coprolites—D. J. Weber and G. C. Lawler

Part III. Synthesis

- Chapter 10. Paleocology of Lake Ciniza—S. R. Ash, W. E. Dean, J. F. Stone, P. Tash, D. J. Weber, and G. C. Lawler

Part 3

- Galton, P. M., and Jensen, J. A., Remains of ornithomimid dinosaurs from the Lower Cretaceous of North America, p. 1-10, 5 figs., 1 table.
- Alexander, D. W., Petrology and petrography of the Bridal Veil Limestone Member of the Oquirrh Formation at Cascade Mountain, Utah, p. 11-26, 28 figs.
- Grant, S. K., Stratigraphic relations of the Escalante Desert Formation, near Lund, Utah, p. 27-30, 1 fig., 1 table.

- Campbell, D. R., Stratigraphy of Pre-Needles Range Formation ash-flow tuffs in the northern Needle Range and southern Wah Wah Mountains, Beaver County, Utah, p. 31-46, 11 figs., 5 tables.
- Chidsey, T. C., Intrusions, alteration, and economic implications in the northern House Range, Utah, p. 47-65, 32 figs., 4 tables.
- Haugh, G. R., Late Cenozoic, cauldron-related silicic volcanism in the Twin Peaks area, Millard County, Utah, p. 67-81, 10 figs., 3 tables.
- Luke, K. J., Corals of the Devonian Guilmette Formation from the Lippy Range near Wendover, Utah-Nevada, p. 83-98, 2 figs., 8 pls.
- Osborne, S. D., Late Cenozoic movement on the central Wasatch Fault, Utah, p. 99-115, 14 figs.
- Stolle, J. M., Stratigraphy of the Lower Tertiary and Upper Cretaceous (?) continental strata in the Canyon Range, Juab County, Utah, p. 117-139, 30 figs.

VOLUME 26, 1979

Part 1

Papers presented at the 31st annual meeting, Rocky Mountain Section, Geological Society of America, April 28-29, 1978, at Brigham Young University, Provo, Utah, reviewing stratigraphic and paleontologic research in the Great Basin and honoring Dr. Harold J. Bissell

David L. Clark, *editor*

- Clark, D. L., Professor H. J. Bissell: A synopsis, p. v.
- Brady, M. J., and Koepnik, R. B., A Middle Cambrian platform-to-basin transition, House Range, west central Utah, p. 1-7, 8 figs.
- Chamberlain, C. K., Trace-fossil biofacies in the lower and middle Paleozoic of central Nevada, p. 9-19, 6 figs., 2 tables.
- Murphy, M. A., Dunham, J. B., Berry, W. B. N., and Matti, J. C., Late Llandovery unconformity in central Nevada, p. 21-36, 21 figs.
- Gutschick, R. A., and Rodriguez, J., Biostratigraphy of the Pilot Shale (Devonian-Mississippian) and contemporaneous strata in Utah, Nevada, and Montana, p. 37-63, 37 figs.
- Larson, J. A., Redeposited carbonates of the upper Oquirrh Formation, Utah, p. 65-84, 21 figs.
- Clark, D. L., Permian-Triassic boundary: Great Basin conodont perspective, p. 85-90, 8 figs.

Part 2

- Galton, P. M., and Jensen, J. A., A new large theropod dinosaur from the Upper Jurassic of Colorado, p. 1-12, 8 figs., 2 tables.
- Hintze, L. F., Preliminary zonations of Lower Ordovician of western Utah by various taxa, p. 13-19, 14 figs.
- Stokes, W. L., and Madsen, J. H., Jr., Environmental significance of pterosaur tracks in the Navajo Sandstone (Jurassic), Grand County, Utah, p. 21-16, 6 figs.
- Hampton, G. L., III, Stratigraphy and archaeocyathans of Lower Cambrian strata of Old Douglas Mountain, Stevens County, Washington, p. 27-49, 7 figs., 5 pls.
- Holmes, R. D., Thermoluminescence dating of Quaternary basalts: continental basalts from the eastern margin of the Basin and Range Province, Utah and northern Arizona, p. 51-65, 10 figs., 7 tables.
- Spreng, W. C., Upper Devonian and Lower Mississippian strata on the flanks of the western Uinta Mountains, Utah, p. 67-79, 12 figs.
- Uresk, J., Sedimentary environment of the Cretaceous Ferron Sandstone near Cameville, Utah, p. 81-100, 29 figs.
- Wyatt, D. J., Carbonate mud mounds from the Lower Ordovician Wah Wah Limestone of the Ibex area, western Millard County, western Utah, p. 101-114, 21 figs.

Part 3

Conodont biostratigraphy of the Great Basin and Rocky Mountains: The proceedings of the Pander Society symposium, workshop, and post-meeting field trip held in conjunction with the Rocky Mountain Section, Geological Society of America, at Brigham Young University, Provo, Utah, on April 28-May 2, 1978. Charles A. Sandberg and David L. Clark, *editors*

- Ethington, R. L., Conodonts from the Pre-Eureka Ordovician of the Great Basin, p. 1-6, 6 figs.
- Harris, A. G., Bergstrom, S. M., Ethington, R. L., Ross, R. J., Jr., Aspects of Middle and Upper Ordovician conodont biostratigraphy of carbonate facies in Nevada and southeast California and comparison with Appalachian successions, p. 7-43, 17 figs., 5 pls.
- Sweet, W. C., Late Ordovician conodonts and biostratigraphy of the Western Midcontinent Province, p. 45-85, 10 figs. (6 of which are pls.)

- Sandberg, C. A., Devonian and Lower Mississippian conodont zonation of the Great Basin and Rocky Mountains, p. 87-105, 5 figs.
- Sandberg, C. A., and Guschick, R. C., Guide to conodont biostratigraphy of Upper Devonian and Mississippian rocks along the Wasatch Front and Cordilleran hingeline, Utah, p. 107-133, 16 figs.
- Clark, D. L., Carr, T. R., Behnken, E. H., Wardlaw, B. R., and Collinson, J. W., Permian conodont biostratigraphy in the Great Basin, p. 143-149, 2 figs., 1 pl.
- Wardlaw, B. R., and Collinson, J. W., Youngest Permian conodont faunas from the Great Basin and Rocky Mountain regions, p. 151-159, 8 figs., 2 pls.
- Solien, M. A., Morgan, W. A., and Clark, D. L., Structure and stratigraphy of a Lower Triassic conodont locality, Salt Lake City, Utah, p. 165-177, 9 figs., 2 tables.
- Clark, D. L., Paull, R. K., Solien, M. A., Morgan, W. A., Triassic conodont biostratigraphy in the Great Basin, p. 179-183, 1 fig., 1 pl.

Part 4

- The fossil vertebrates of Utah,
an annotated bibliography
J. H. Madsen, Jr., and W. E. Miller, *editors*
p. 1-141

VOLUME 27, 1980

Part 1

- Rees, M. N., and Rowell, A. J., Preble Formation, a Cambrian outer continental shelf deposit in Nevada, p. 1-8, 10 figs.
- Greenhalgh, B. R., The Fitchville Formation: A study of the biostratigraphy and depositional environments in west central Utah County, Utah, p. 9-29, 14 figs., 2 tables.
- Hannum, C., Sandstone and conglomerate-breccia pipes and dikes of the Kodachrome Basin area, Kane County, Utah, p. 31-50, 30 figs.
- Harris, D. R., Exhumed paleochannels in the Lower Cretaceous Cedar Mountain Formation near Green River, Utah, p. 51-66, 21 figs.
- Hawks, R. L., Jr., The stratigraphy and structure of the Cedar Hills, Sanpete County, Utah, p. 67-80, 1 pl., 17 figs.
- James, B. H., Paleoenvironments of the Lower Triassic Thaynes Formation, near Diamond Fork in Spanish Fork Canyon, Utah County, Utah, p. 81-100, 20 figs.
- Olsen, J. R., A gravity study of the Nampa-Caldwell area, Canyon County, Idaho, p. 101-115, 18 figs.
- Taylor, J. M., Geology of the Sterling Quadrangle, Sanpete County, Utah, p. 117-135, 1 pl., 22 figs.

Part 2

- Oaks, R. Q., Jr., and James, W. C., The Kinnikinic Quartzite (Middle Ordovician) in the type area, central Idaho, and a new reference section near Arco, Idaho, p. 1-9, 7 figs.
- Conner, J. L., Geology of the Sage Valley 7½' Quadrangle, Caribou County, Idaho, and Lincoln County, Wyoming, p. 11-39, 1 pl., 23 figs.
- Hatch, J. F., Geology of the Elk Valley Quadrangle, Bear Lake and Caribou Counties, Idaho, and Lincoln County, Wyoming, p. 41-66, 1 pl., 26 figs.
- Ott, V. D., Geology of the Woodruff Narrows Quadrangle, Utah-Wyoming, p. 67-84, 1 pl., 8 figs.
- Morris, S. K., Geology and ore deposits of Mineral Mountain, Washington County, Utah, p. 85-102, 1 pl., 11 figs.
- Newman, G. J., Conodonts and biostratigraphy of the Lower Mississippian in western Utah and eastern Nevada, p. 103-121, 3 pls., 11 figs., 8 tables.
- Piekarski, L., Relative age determination of Quaternary fault scarps along the southern Wasatch, Fish Springs, and House Ranges, Utah, p. 123-139, 33 figs.
- Rowley, R. B., Geology and mineral deposits of the Lodi Hills, Nye County, Nevada, p. 141-151, 1 pl., 7 figs.
- Sperry, S. W., The Flagstaff Formation: Depositional environment and paleoecology of clastic deposits near Salina, Utah, p. 153-173, 2 pl., 16 figs.
- Wheeler, R. F., Geology of the Sewing Machine Pass Quadrangle, central Wah Wah Range, Beaver County, Utah, p. 175-191, 1 pl., 10 figs.

Part 3

- Baer, J. L., and Rigby, J. K., Studies for Students No. 10, Geologic guide to Provo Canyon and Weber Canyon, central Wasatch Mountains, Utah, p. 1-33, 76 figs.

- Bushman, J. R., The rate of sedimentation in Utah Lake and the use of pollen as an indicator of time in the sediments, p. 35-43, 1 fig.
- Chamberlain, R. L., Structure and stratigraphy of the Rex Peak Quadrangle, Rich County, Utah, p. 44-54, 1 pl., 9 figs.
- Dommer, M. L., The geology of the Drum Mountains, Millard and Juab Counties, Utah, p. 55-72, 1 pl., 3 figs.
- Oberhansley, G. G., Geology of the Fairview Lakes Quadrangle, Sanpete County, Utah, p. 73-95, 1 pl., 18 figs.
- Steed, D. A., Geology of the Virgin River Gorge, northwest Arizona, p. 96-115, 1 pl., 15 figs.
- Weaver, C. L., Geology of the Blue Mountain Quadrangle, Beaver and Iron Counties, Utah, p. 116-132, 1 pl., 10 figs.

VOLUME 28, 1981

Part 1

- Gunther, L. F., and Gunther, V. G., Some Middle Cambrian fossils of Utah, 81 p., 67 pls., 25 figs.

Part 2

- Ethington, R. L., and Clark, D. L., Lower and Middle Ordovician conodonts from the Ibex Area, western Millard County, Utah, 155 p., 14 pls., 35 figs., 12 tables.

Part 3

- Steven, T. A., Three Creeks Caldera, southern Pavant Range, Utah, p. 1-7, 9 figs.
- Chamberlain, A. K., Biostratigraphy of the Great Blue Formation, p. 9-17, 8 figs.
- Dean, J. S., Carbonate petrology and depositional environments of the Sinbad Limestone Member of the Moenkopi Formation in the Teasdale Dome area, Wayne and Garfield Counties, Utah, p. 19-51, 2 pls., 33 figs.
- Felt, V. L., Geology of the Antelope Peak Area of the southern San Francisco Mountains, Beaver County, Utah, p. 53-65, 1 pl., 14 figs.
- Hall, C. D., The Tintic Quartzite in Rock Canyon, Utah County, Utah: a model for shallow-shelf sedimentation, p. 67-79, 11 figs., 1 table.
- Haymond, D. E., Geology of the Longlick and White Mountain area, southern San Francisco Mountains, p. 81-100, 1 pl., 12 figs.
- Jenkins, D. E., Geology of the Auburn 7½' Quadrangle, Caribou County, Idaho, and Lincoln County, Wyoming, p. 101-116, 1 pl., 17 figs.
- Taylor, D. W., Carbonate petrology and depositional environments of the Limestone Member of the Carmel Formation, near Carmel Junction, Kane County, Utah, p. 117-133, 30 figs.

VOLUME 29, 1982

Part 1

- Hunt, C. B., editor, Pleistocene Lake Bonneville, ancestral Great Salt Lake, as described in the notebooks of G. K. Gilbert, 1875-1880, p. 1-225, 310 figs.

Part 2

- Petersen, L. M., and Roylance, M. M., Stratigraphy and depositional environments of the Upper Jurassic Morrison Formation near Capitol Reef National Park, Utah, p. 1-12, 11 figs.
- Petersen, S. M., and Pack, R. T., Paleoenvironments of the Upper Jurassic Summerville Formation near Capitol Reef National Park, Utah, p. 13-25, 12 figs.
- Gosney, T. C., Conodont biostratigraphy of the Pinyon Peak Limestone and the Fitchville Formation, Late Devonian-Early Mississippian, North Salt Lake City, Utah, p. 27-39, 1 pl., 3 figs.
- Higgins, J. M., Geology of the Champlin Peak Quadrangle, Juab and Millard Counties, p. 40-58, 14 figs.
- Hill, R. B., Depositional environments of the Upper Cretaceous Ferron Sandstone south of Notom, Wayne County, Utah, p. 59-83, 40 figs.
- Hurst, C., Detailed gravity survey delineating buried strike-slip faults in the Crawford Mountain portion of the Utah-Idaho-Wyoming overthrust belt, p. 85-102, 16 figs., 6 tbls.
- Keller, D. R., Structure and alteration as a guide to mineralization in the Secret Canyon area, Eureka County, Nevada, p. 103-116, 9 figs.

Maps

- Preliminary geologic map of the Cricket Mountains, Millard County, Utah, by L. F. Hintze, 1959, scale 1" equals 4,000 ft., ozalid print 36" x 48".
- Preliminary geologic map of the Burbank Hills and Northern Needle Range, Millard County, Utah, by L. F. Hintze, 1960, scale 1" equals 4,000 ft., ozalid print.

- Geology of the southern Wasatch Mountains and vicinity, by L. F. Hintze (from vol. 9, pt. 1), two colors, 20" x 32".
 Preliminary geologic map of the Y mountain area, east of Provo, Utah, by L. F. Hintze, 1969, scale 1" equals 2,000 ft.

Special Publication 1

- Hamblin, W. K., and Murphy, R., Grand Canyon perspectives: A guide to the canyon scenery by means of interpretive panoramas.

Special Publication 2

- Hintze, L. F., 8½ x 11" colored geological map of Utah with roads.

Special Publication 3

- Utah geological highway map, scale 1" equals 15 miles. Full color with seven stratigraphic sections, seven cross-sections, ERTS photomosaic of Utah and a summary of Utah's geologic history.

Special Publication 4

- Rigby, J. K., and Roberts, H. H., Geology, reefs, and marine communities of Grand Cayman Island, British West Indies, p. 1-95, 26 pls., 36 text-figs.
 Roberts, H. H., Carbonate sedimentation in a reef-enclosed lagoon, North Sound, Grand Cayman Island, p. 97-122, 5 pls., 10 tables, 11 text-figs.